BRAIN RESEARCH

Vol. 672 Nos. 1,2 **CONTENTS** **20 FEBRUARY 1995**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Announcing a New Look! vii

Research reports

Connections from the subfornical organ to the oxytocin and vasopressin systems in the lactating rat. A study using electrical stimulations, lesions and electrophysiological recordings
C. Boudaba, J.G. Tasker and D.A. Poulain (France, USA) 1

Age-dependent uptake and retrograde axonal transport of exogenous albumin and transferrin in rat motor neurons
T. Moos (Denmark) 14

Prolactin modulates oxytocin mRNA during lactation by its action on the hypothalamo-neurohypophyseal axis
R. Ghosh and C.D. Sladek (USA) 24

Immunohistochemical localization of biliverdin reductase in rat brain: age related expression of protein and transcript
J.F. Ewing and M.D. Maines (USA) 29

Long-term exposure to opioid antagonists up-regulates prodynorphin gene expression in rat brain
P. Romualdi, G. Lesa, A. Donatini and S. Ferri (Italy) 42

Inhibition of nitric oxide synthesis extends cerebrovascular autoregulation during hypertension
W.T. Talman and D. Nitschke Dragon (USA) 48

Nerve growth factor immunoreactivity and sympathetic sprouting in the rat hippocampal formation
C. Yu and K.A. Crutcher (USA) 55

Changing patterns of Fos expression in brainstem catecholaminergic neurons during the rat oestrous cycle
G.L. Condé, R.J. Bicknell and A.E. Herbison (UK) 68

Effects of intracolonic acetic acid on responses to colorectal distension in the rat
M.B. Burton and G.F. Gebhart (USA) 77

Altered *N*-methyl-D-aspartate (NMDA) activity in the mouse spinal cord following morphine is mediated by sigma activity
J.S. Kreeger, R.Yu. Yukhananov and A.A. Larson (USA) 83

The relationship between the kinematics of passive movement, the stretch of extensor muscles of the leg and the change induced in the gain of the soleus H reflex in humans
J. Cheng, J.D. Brooke, J.E. Misiaszek and W.R. Staines (Canada) 89

Effect of chronic protein ingestion on rat central nervous system tyrosine levels and in vivo tyrosine hydroxylation rate
M.H. Fernstrom and J.D. Fernstrom (USA) 97

GDNF protects nigral dopamine neurons against 6-hydroxydopamine in vivo
C.M. Kearns and D.M. Gash (USA) 104

Differential recovery of volitional motor function, lateralized cognitive function, dopamine agonist-induced rotation and dopaminergic parameters in monkeys made hemi-parkinsonian by intracarotid MPTP infusion
J.S. Schneider, T.I. Lidsky, T. Hawks, J.C. Mazziotta and J.M. Hoffman (USA) 112

Interactions between second messenger pathways influence NGF synthesis in mouse primary astrocytes
F. Jehan, I. Neveu, P. Naveilhan, D. Wion and P. Brachet (France) 128

Evolution of afterdischarge and seizure characteristics during electrical kindling of the guinea-pig
G.C. Teskey, P.A. Valentine, R.S. Sainsbury and C. Trepel (Canada) 137

κ-Opioid receptor mediated antinociception in rats is dependent on the functional state of dihydropyridine-sensitive calcium channels
M. Barro, F. Ruiz and M.A. Hurlé (Spain) 148

Intrastriatal quinolinic acid injections protect against 6-hydroxydopamine-induced lesions of the dopaminergic nigrostriatal system
J.L. Venero, M. Romero-Ramos, M. Revuelta, A. Machado and J. Cano (Spain) 153

Phenotypic and cell cycle properties of human oligodendrocytes in vitro
S. Prabhakar, S. D'Souza, J.P. Antel, J.A. McLaurin, H.M. Schipper and E. Wang (Canada) 159

Enhancement of hippocampally-mediated learning and protein kinase C activity by oxiracetam in learning-impaired DBA/2 mice
D.E. Fordyce, V.J. Clark, R. Paylor and J.M. Wehner (USA) 170

Methylprednisolone inhibits early inflammatory processes but not ischemic cell death after experimental spinal cord lesion in the rat
D. Bartholdi and M.E. Schwab (Switzerland) 177

Ultrastructural localization of amyloid protein precursor in the normal and postischemic gerbil brain
H. Tomimoto, I. Akiguchi, H. Wakita, S. Nakamura and J. Kimura (Japan) 187

(contents continued on p. 300)

0006-8993(19950220)672:1/2;1-N

BRAIN RESEARCH

Vol. 672 Nos. 1,2 **CONTENTS** **20 FEBRUARY 1995**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Announcing a New Look! vii

Research reports

Connections from the subfornical organ to the oxytocin and vasopressin systems in the lactating rat. A study using electrical stimulations, lesions and electrophysiological recordings
C. Boudaba, J.G. Tasker and D.A. Poulain (France, USA) 1

Age-dependent uptake and retrograde axonal transport of exogenous albumin and transferrin in rat motor neurons
T. Moos (Denmark) 14

Prolactin modulates oxytocin mRNA during lactation by its action on the hypothalamo-neurohypophyseal axis
R. Ghosh and C.D. Sladek (USA) 24

Immunohistochemical localization of biliverdin reductase in rat brain: age related expression of protein and transcript
J.F. Ewing and M.D. Maines (USA) 29

Long-term exposure to opioid antagonists up-regulates prodynorphin gene expression in rat brain
P. Romualdi, G. Lesa, A. Donatini and S. Ferri (Italy) 42

Inhibition of nitric oxide synthesis extends cerebrovascular autoregulation during hypertension
W.T. Talman and D. Nitschke Dragon (USA) 48

Nerve growth factor immunoreactivity and sympathetic sprouting in the rat hippocampal formation
C. Yu and K.A. Crutcher (USA) 55

Changing patterns of Fos expression in brainstem catecholaminergic neurons during the rat oestrous cycle
G.L. Condé, R.J. Bicknell and A.E. Herbison (UK) 68

Effects of intracolonic acetic acid on responses to colorectal distension in the rat
M.B. Burton and G.F. Gebhart (USA) 77

Altered *N*-methyl-D-aspartate (NMDA) activity in the mouse spinal cord following morphine is mediated by sigma activity
J.S. Kreeger, R.Yu. Yukhananov and A.A. Larson (USA) 83

The relationship between the kinematics of passive movement, the stretch of extensor muscles of the leg and the change induced in the gain of the soleus H reflex in humans
J. Cheng, J.D. Brooke, J.E. Misiaszek and W.R. Staines (Canada) 89

Effect of chronic protein ingestion on rat central nervous system tyrosine levels and in vivo tyrosine hydroxylation rate
M.H. Fernstrom and J.D. Fernstrom (USA) 97

GDNF protects nigral dopamine neurons against 6-hydroxydopamine in vivo
C.M. Kearns and D.M. Gash (USA) 104

Differential recovery of volitional motor function, lateralized cognitive function, dopamine agonist-induced rotation and dopaminergic parameters in monkeys made hemi-parkinsonian by intracarotid MPTP infusion
J.S. Schneider, T.I. Lidsky, T. Hawks, J.C. Mazziotta and J.M. Hoffman (USA) 112

Interactions between second messenger pathways influence NGF synthesis in mouse primary astrocytes
F. Jehan, I. Neveu, P. Naveilhan, D. Wion and P. Brachet (France) 128

Evolution of afterdischarge and seizure characteristics during electrical kindling of the guinea-pig
G.C. Teskey, P.A. Valentine, R.S. Sainsbury and C. Trepel (Canada) 137

κ-Opioid receptor mediated antinociception in rats is dependent on the functional state of dihydropyridine-sensitive calcium channels
M. Barro, F. Ruiz and M.A. Hurlé (Spain) 148

Intrastriatal quinolinic acid injections protect against 6-hydroxydopamine-induced lesions of the dopaminergic nigrostriatal system
J.L. Venero, M. Romero-Ramos, M. Revuelta, A. Machado and J. Cano (Spain) 153

Phenotypic and cell cycle properties of human oligodendrocytes in vitro
S. Prabhakar, S. D'Souza, J.P. Antel, J.A. McLaurin, H.M. Schipper and E. Wang (Canada) 159

Enhancement of hippocampally-mediated learning and protein kinase C activity by oxiracetam in learning-impaired DBA/2 mice
D.E. Fordyce, V.J. Clark, R. Paylor and J.M. Wehner (USA) 170

Methylprednisolone inhibits early inflammatory processes but not ischemic cell death after experimental spinal cord lesion in the rat
D. Bartholdi and M.E. Schwab (Switzerland) 177

Ultrastructural localization of amyloid protein precursor in the normal and postischemic gerbil brain
H. Tomimoto, I. Akiguchi, H. Wakita, S. Nakamura and J. Kimura (Japan) 187

(contents continued on p. 300)

0006-8993(19950220)672:1/2;1-N

(contents continued)

Activity-dependent regulation of a ribosomal RNA epitope in the chick cochlear nucleus
R.L. Hyson and E.W Rubel (USA) 196

Anterograde to retrograde reversal of fast axonal transport within cold blocked and rewarmed intact axons
R.S. Smith and R.E. Snyder (Canada) 205

Spatiotemporal alterations of central α_1-adrenergic receptor binding sites following amygdaloid kindling seizures in the rat: autoradiographic studies using [^{3}H]prazosin
A.L. Gundlach, T.C.D. Burazin, T.A. Jenkins and S.F. Berkovic (Australia) 214

α-Bungarotoxin binding sites in rat hippocampal and cortical cultures: initial characterisation, colocalisation with α7 subunits and up-regulation by chronic nicotine treatment
G.E. Barrantes, A.T. Rogers, J. Lindstrom and S. Wonnacott (UK, USA) 228

Organization of the basal forebrain in the cat: localization of L-enkephalin, substance P, and choline acetyltransferase immunoreactivity
R.W. Rieck, C.C. Nabors, B.V. Updyke and K.E. Kratz (USA) 237

Sexually dimorphic areas in the rat medial amygdala: resistance to the demasculinizing effect of prenatal stress
M. Kerchner, C.W. Malsbury, O.B. Ward and I.L. Ward (USA, Canada) 251

Ultrastructural relationships between terminals immunoreactive for enkephalin, GABA, or both transmitters in the rat ventral tegmental area
S.R. Sesack and V.M. Pickel (USA) 261

Short communications

Flavin-containing monooxygenase mediated metabolism of psychoactive drugs by human brain microsomes
S. Bhamre, S.V. Bhagwat, S.K. Shankar, M.R. Boyd and V. Ravindranath (India, USA) 276

Atropine suppresses associative LTP in the CA1 region of rat hippocampal slices
M.V. Sokolov and A.M. Kleschevnikov (Russian Federation) 281

No changes in the number of vasoactive intestinal polypeptide (VIP)-expressing neurons in the suprachiasmatic nucleus of homosexual men; comparison with vasopressin-expressing neurons
J.-N. Zhou, M.A. Hofman and D.F. Swaab (Netherlands, People's Repuplic of China) 285

A combined immunocytochemical and retrograde tracing study of noradrenergic connections between the caudal medulla and bed nuclei of the stria terminalis
M.G. Terenzi and C.D. Ingram (UK) 289

Author Index 298